



The information contained in this drawing is the sole property of Coil Winding Specialist Inc. (CWSI). Any reproduction in part or whole without written permission of CWSI is prohibited.



DIMENSIONAL TOLERANCE INCHES [MM]					
A(OD) Max	B(HGT) Max	D1(LEAD) Min	D(LEAD) Min	E TYP	F (Lead Dia) TYP
2.60 [66.00]	1.46 [37.00]	0.50 [12.70]	0.75 [19.05]	2.52 [64.00]	0.06 [1.63]

REVISION HISTORY				SIGN & DATE			
REV	ECN	DESCRIPTION	BR	DATE	CHK	DATE	DATE
A		PRODUCTION RELEASE	TN	01/18/2021	JL	01/18/2021	

- 8 BUILT TO ROHS COMPLIANCE
- 7 LABEL PART NUMBER AT THE BOTTOM OF THE BASE.
- 6 TRIM INNER LEADS TO 0.75 AND OUTER LEADS TO 0.5 INCH FROM BOTTOM OF BASE
- 5 APPLY EPOXY BETWEEN COIL AND BASE
- 4 STRIP AND TIN LEADS (NO INSULATION IS ALLOWED BELOW THE BASE LEVEL.)



- 3 SPECIFICATIONS AT 25°C:  
 WIRE: UL RECOGNIZED 200°C RATED MAGNET WIRE  
 CWS BYTEMARK OR OTHER APPROVED PART  
 CORE: NANOCRYSTALLINE OR AMORPHOUS CORE
- 2 CASE RATING CLASS H (180°C) REQUIRED  
 MATERIAL: UL RECOGNIZED FOR FLAMMABILITY
- 1 ANY TOLERANCE. THIS DIM. CAN VARY A LITTLE FROM PART TO PART.  
 \*TYP IN DIM. TABLE REFERS TO A NON-CRITICAL TYPICAL (AVERAGE) DIM. WITHOUT CAGE CODE: 5DMIE2



UNLESS OTHERWISE SPECIFIED		AUTOCAD	
DIMENSIONING AND TOLERANCE PER ANSI Y14.5M	ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]	SIGN	DATE
TOLERANCE INCHES: ±0.005	TOLERANCE METERS: ±0.127	DRWN	TN
±0.005	±0.127	ENGR.	JL
±0.005	±0.127	APPR.	JL
±0.005	±0.127	DATE	01/18/2021
±0.005	±0.127	SCALE	N/A
±0.005	±0.127	SHEET	10F
±0.005	±0.127	REV	A

www.coliws.com  
 sales@coliws.com  
 Coil Winding Specialist Inc.  
 353 West Grove Ave  
 Orange, California 92665

TPD-194U-B13A